ELSEVIER

Carbohydrate Research 295 (1996) C11–C12

CARBOHYDRATE RESEARCH

Contents

Regular Papers

Crystal structures of (±)-1,4-di-*O*-benzoyl-2,3-*O*-iso-propylidene-*myo*-inositol and (±)-1,4-di-*O*-benzoyl-5,6-*O*-isopropylidene-*myo*-inositol: a conformational analysis
S.-K. Chung, Y.-T. Chang, D. Whang and K. Kim (Pohang, South Korea) 1

Synthesis of octyl *O*- and *S*-glycosides related to the GPI anchor of *Trypanosoma brucei* and their in vitro galactosylation by trypanosomal α-galactosyltransferases
T. Ziegler, R. Dettmann (Cologne, Germany), M. Duszenko and V. Kolb (Tübingen, Germany) . . . 7

Stereocontrolled syntheses of O-glycans of core class 2 with a linear tetrameric lactosamine chain and with three lactosamine branches
Z.-G. Wang, X.-F. Zhang, Y. Ito, Y. Nakahara (Saitama, Japan) and T. Ogawa (Saitama, Tokyo, Japan) 25

Conversion of *p*-methoxyphenyl glycosides into the corresponding glycosyl chlorides and bromides, and into thiophenyl glycosides
Z. Zhang and G. Magnusson (Lund, Sweden) 41

Synthesis of 2-(β-D-glycopyranosyl)nitroethenes and -nitroethanes via aldehydo derivatives
M. Petrušová (Bratislava, Slovakia; West Lafayette, IN, USA), J.N. BeMiller (West Lafayette, IN, USA), A. Krihová (Bratislava, Slovakia) and L. Petruš (Bratislava, Slovakia; West Lafayette, IN, USA) 57

A novel chemical synthesis of a 3-deoxy-D-*arabino*-heptulosonic acid 7-phosphate (DAHP) derivative and its 2-deoxy analogue
J. Młynarski and A. Banaszek (Warsaw, Poland) 69

Synthesis of O-glycopyranosyl heterocyclic ketene aminals and their use as glycosyl donors
Z.-J. Li, L.-B. Wang and Z.-T. Huang (Beijing, People's Republic of China) 77

Structure of the cyclic glucan produced from amylopectin by *Bacillus stearothermophilus* branching enzyme
H. Takata, T. Takaha, S. Okada (Osaka, Japan), S. Hizukuri (Kagoshima, Japan), M. Takagi and T. Imanaka (Osaka, Japan) 91

Purification and characterization of a (1 → 3)-β-D-glucan-binding protein from horseshoe crab (*Tachypleus tridentatus*) amoebocytes
H. Tamura (Urawa, Tokyo, Japan), S. Tanaka, T. Oda, Y. Uemura, J. Aketagawa (Tokyo, Japan) and Y. Hashimoto (Urawa, Japan) 103

Structure of the O-specific polysaccharide of *Hafnia alvei* PCM 1222 containing 2-aminoethyl phosphate
F.V. Toukach, A.S. Shashkov (Moscow, Russian Federation), E. Katzenellenbogen (Wroclaw, Poland), N.A. Kocharova (Moscow, Russian Federation), A. Czarny (Wroclaw, Poland), Y.A. Knirel (Moscow, Russian Federation), E. Romanowska (Wroclaw, Poland) and N.K. Kochetkov (Moscow, Russian Federation) 117

The structures of oligosaccharides isolated from the lipopolysaccharide of *Moraxella catarrhalis* serotype B, strain CCUG 3292
P. Edebrink (Stockholm, Sweden), P.-E. Jansson (Huddinge, Sweden), G. Widmalm, T. Holme and M. Rahman (Stockholm, Sweden) 127

The structure of the exopolysaccharide produced by the halophilic Archaeon *Haloferax mediterranei* strain R4 (ATCC 33500)
H. Parolis, L.A.S. Parolis (Grahamstown, South Africa), I.F. Boán, F. Rodríguez-Valera (Alicante, Spain), G. Widmalm, M.C. Manca (Stockholm, Sweden), P.-E. Jansson (Huddinge, Sweden) and I.W. Sutherland (Edinburgh, UK) 147

Disulfated oligosaccharides derived from tracheobronchial mucous glycoproteins of a patient suffering from cystic fibrosis
D.L. Chance and T.P. Mawhinney (Columbia, MO, USA) 157

Structure of the O-specific polysaccharide from *Burkholderia vietnamiensis* strain LMG 6998
D. Gaur and S.G. Wilkinson (Hull, UK) 179

Quantitative analysis of wheat starch–water suspensions by pulsed NMR spectroscopy measurements
Y.L. Rugraff, P. Desbois and D.J. Le Botlan (Nantes, France) 185

Chemical and structural features of kiwifruit cell walls: Comparison of fruit and suspension-cultured cells
M. Fischer, T.F. Wegryzn, I.C. Hallett and R.J. Redgwell (Auckland, New Zealand) 195

Synthesis and NMR assignment of two repeating units (decasaccharide) of the type III group B *Streptococcus* capsular polysaccharide and its ^{13}C-labeled and *N*-propionyl substituted sialic acid analogues
W. Zou, J.-R. Brisson, Q.-L. Yang, M. van der Zwan and H.J. Jennings (Ottawa, Canada) 209

Notes

The study of the relationship between retention and structure on D-mannose and its derivatives with high-performance anion-exchange chromatography
Z. Li, S. Mou, W. Liao and D. Lu (Beijing, People's Republic of China) 229

Synthesis of glycofuranosides from *S*-glycofuranosyl dithiocarbonates (xanthates) and dithiocarbamates
J. Bogusiak (Sosnowiec, Poland) and W. Szeja (Gliwice, Poland) 235

Isolation and characterization of an amino sugar-rich glycopeptide from the surface layer glycoprotein of *Thermoanaerobacterium thermosaccharolyticum* E207-71
E. Altman (Ottawa, Canada), C. Schäffer (Vienna, Austria), J.-R. Brisson (Ottawa, Canada) and P. Messner (Vienna, Austria) 245

Book Review C1

Author Index C5

Subject Index C7

Contents C11